



1954.- 1cfs prevenció de riscos laborals

hores	DI 11	Dm 12	DC. 13	Dj. 14
16-17				C04 Cuadras 1207
17-18			C08 Casellas A207	C04 Cuadras 1207
18,0 0-18,30				
18,30 – 19,30	C01 Casellas A207	C04 Mota A207		
19,30 – 20,30		C04 Mota A207		

1954.- 2cfs prevenció de riscos laborals

hores	DI 11	Dm 12	DC 13	Dj 14
16-17				
17-18	C07 Corominas A207	C05 Corominas A207		
18,0 0-18,30				
18,30 – 19,30				
19,30 – 20,30			C06 Casanellas A206	C03 Duart A207

1953- 1cfs Manteniment industrial

hores	DI 11	Dm 12	DC 13	Dj 14
16-17	C11 Cuadras A01	C04 Domènech A201	C07 González TM	C02 Soler A101
17-18	C11 Cuadras A01	C04 Domènech A201	C07 González TM	C02 Soler A101
18,0 0-18,30				
18,30 – 19,30	C01 Serra A01	C10 Cuadras A01	C07 González TM	C08 Bondia A101
19,30 – 20,30			C07 González TM	C08 Bondia A101

1953- 2cfs Manteniment industrial

hores	DI 11	Dm 12	DC 13	Dj 14
16-17		C06 Serra TMI		
17-18		C09 Serra TMI	C13 Casellas A207	
18,0 0-18,30				
18,30 – 19,30	C12 Corominas A207		C03 Bondia A207	C05 Fernàndez TMI
19,30 – 20,30			C03 Bondia A207	



1901 – 1A cfm Instal·lacions i manteniment electromecànic

hores	DI 11	Dm 12	DC 13	Dj 14
08 - 09		C02 Reus SACT		
09 -10		C02 Reus SACT	C08 Domènech SACT	
10 -11	C11 Miquel SACT	C07 Alemany A01	C08 Domènech SACT	C12 Miquel SACT
11,30 – 12,30				
12,30 – 13,30				

1901 – 1B cfm Instal·lacions i manteniment electromecànic

hores	DI 11	Dm 12	DC 13	Dj 14
08 - 09		C02 Reus SACT		
09 -10		C02 Reus SACT	C08 Domènech SACT	
10 -11	C11 Miquel SACT	C07 Alemany A01	C08 Domènech SACT	C12 Miquel SACT
11,30 – 12,30				
12,30 – 13,30				

1901 – 2cfm Instal·lacions i manteniment electromecànic

hores	DI 11	Dm 12	DC 13	Dj 14
16-17		C01 Soler A101	C09 Serra A01	
17-18	C04 Serra A01	C01 Soler A101	C09 Serra A01	C05 Corominas A01
18,0 0-18,30				
18,30 – 19,30	C09 Cuadras A01	C03 Fernàndez TMI	C10 Fernàndez A01	C06 González TMI
19,30 – 20,30	C09 Cuadras A01	C03 Fernàndez TMI		C06 González TMI